

Arthritis and Proper Nutrition

Arthritis is a condition that causes pain and stiffness of the joints. Occasionally, arthritis can also cause redness, swelling, and warmth in the joints. In severe cases, joints may become misshapen.

There are different kinds of arthritis. Two common forms are osteoarthritis and rheumatoid arthritis. Examples of other forms of arthritis include gout, ankylosing spondylitis, and arthritis that can happen after an injury or with some infections, such as Lyme disease.

- **Rheumatoid arthritis:** This chronic, system inflammatory disorder that may affect many tissues and organs, but principally attacks the joints, producing an inflammatory synovial joint that often progresses to destruction of the joint cartilage and creates rigid joints.
- **Osteoarthritis:** A form of arthritis, affecting mainly older people, caused by chronic degeneration of the cartilage and synovial membrane of the joints, leading to pain and stiffness

Malnutrition Risk:

Although you may associate malnutrition with hunger in third world countries, malnutrition, in fact, is simply lacking nutrient necessary for a healthy lifestyle. Patients with Rheumatoid arthritis are considered to be at nutritional risk for many reasons. One cause of poor nutritional status in this patient population is thought to be the result of the weight loss and a general loss of vitality and strength linked to cytokine production. In patients experiencing chronic inflammation, the production of cytokines, such as interleukin-1 and tumor necrosis factor, increases resting metabolic rate (daily caloric burn) and protein breakdown. The patient then is faced with the challenge of increasing both calorie and protein intake to meet the nutritional requirements of the increased metabolic rate.

Two-three daily servings of lean, natural protein such as chicken breast, fish or lean meat will be beneficial in maintaining a healthy weight. Service Foods offers a great variety of all-natural, top quality meats, seafood and produce to help our customers who may suffer from Rheumatoid arthritis.

Food Convenience

Food preparation and purchasing can often be challenging for those living with arthritis. The pain and swelling associated with the disease makes cooking and shopping uncomfortable and difficult. In such cases, a grocery home delivery service is quite beneficial, allowing patients to select their purchases online and have them brought right into their freezer.

The effects of arthritis medications that are frequently taken long-term may also compound nutritional problems. One example of this is observed in patients receiving methotrexate; such patients are frequently identified with folic acid deficiency. Sources of folic acid include dark leafy green vegetables and fortified breads, cereals and grains.

Additionally, prolonged dosing of other RA medications may be associated with conditions such as gastritis or peptic ulcer, frequently reducing a persons desire to eat.

Antioxidants

Numerous studies have shown that antioxidants are highly beneficial for those suffering from arthritis. Increased intake of antioxidants, such as selenium and vitamin E, may decrease free-radical damage to joint linings, which diminish swelling and pain. Antioxidants are contained in such foods as berries (blueberries, cherries, raspberries), grapes, oranges, plums, peppers, artichokes, beans, lemons and others. Service Foods prides itself on offering our customers the freshest, most natural, organic fruits and vegetables through our relationship with various organic farming associations.

Supplementation

There are numerous supplements that have been proven to manage and minimize the risks and effects of arthritis. Supplementation of calcium and vitamin D are recommended to decrease the risk of osteoporosis that results from nutritional loss of the disease, from menopause and from concurrent steroid therapy. Foods rich in calcium and vitamin D include yogurt, milk, cheese and other dairy products.

One prominent study shows that consuming fruits and vegetables containing Beta-cryptoxanthin and Zeaxanthin may reduce the risk for developing inflammatory arthritis.

Study source: Dietary B-cryptoxanthin and inflammatory polyarthritis: results from a population-based prospective study. American Journal of Clinical Nutrition. August 2005. <http://www.ajcn.org/cgi/content/abstract/82/2/451>

What Is Beta-cryptoxanthin?

Beta-cryptoxanthin is classified as a pro-vitamin carotenoid. In the body it can be converted to an active form of vitamin A. Vitamin A is recognized as being important for skin and bone health, as well as immune function. Beta-cryptoxanthin is contained in yellow or orange fruits and vegetables. Here is a list of yellow and orange fruits and vegetables from www.5aday.org:

- Yellow apples
- Apricots
- Cantaloupe
- Cape Gooseberries
- Yellow figs
- Grapefruit

- Golden kiwifruit
- Lemon
- Mangoes
- Nectarines
- Oranges
- Papayas
- Peaches
- Yellow pears
- Persimmons
- Pineapples
- Tangerines
- Yellow watermelon
- Yellow beets
- Butternut squash
- Carrots
- Yellow peppers
- Yellow potatoes
- Pumpkin
- Rutabagas
- Yellow summer squash
- Sweet corn
- Sweet potatoes
- Yellow tomatoes
- Yellow winter squash

Which Fruits And Vegetables Are Highest In Beta-Cryptoxanthin?

According to www.NutritionData.com, a comprehensive listing of the 467 foods highest in beta-cryptoxanthin shows:

- Vegetables: peppers, pumpkins, and winter squash as the vegetables with the highest levels of beta-cryptoxanthin per serving.
- Fruits: persimmons, tangerines, and papayas as the fruits with the highest levels of beta-cryptoxanthin per serving.

Zeaxanthin is another carotenoid with antioxidant power food sources of zeaxanthin, including green leafy vegetables and yellow/orange fruits and vegetables.

Research from the University of Manchester supports studies that have concluded dietary antioxidants, such as carotenoids, beta-cryptoxanthin and zeaxanthin as well as vitamin C, may be related to reducing the effects of arthritis.

All-Natural Diet & Arthritis

Studies have shown that changes in diet can impact the lives of arthritis sufferers. For example, consuming seafood high in Omega-3 fatty acids can often decrease the

inflammation of joints associated with arthritis! Other foods proven to reduce inflammation include strawberries, foods rich in fiber, and olive oil. Of course, as mentioned, products rich in antioxidants also help prevent and reduce arthritis. For more information, please visit www.arthritistoday.org.

Naturally, Service Foods strives to help our customers lead healthy, vibrant lives. To that effect, we continue to provide natural, lean, organic foods, including meats, seafood, fruits and vegetables. As numerous studies have shown, eating a healthy, balanced diet is the first step to a clean bill of health. If you have any questions about health and diet, feel free to contact our dieticians and nutrition experts for more information. You should always contact your physician before making any dietary changes. We look forward to working with you to improve your health and prolong your life.